

GALLERY

DESIGN
INNOVATION
SUSTAINABILITY

CERAMIN[®]

PERFORMANCE FLOORING
WITH A STORY



Inhaus[®]

inhausurfaces.com
1 888 255 3412



CERAMIN
GALLERY

13 SKUS
50.8" x 8.0" x 5 MM



PARKSIDE

VARIATION:

63352

MEDIUM



LEDGESTONE

VARIATION:

63353

MEDIUM



MALKIN | 63363



HARBOURSIDE

VARIATION:

63357

LIGHT



FRASERVIEW

VARIATION:

63362

MEDIUM



RIVERWAY

63355

VARIATION:

LIGHT



NORGATE

63358

VARIATION:

LIGHT



SEAFORTH

63361

VARIATION:

LIGHT



NORTHLANDS

63359

VARIATION:

LIGHT



GLENBROOK

63354

VARIATION:

LIGHT



BRUNSWICK

63360

VARIATION:

MEDIUM



LANGARA

63364

VARIATION:

LIGHT



BALLANTYNE

63356

VARIATION:

LIGHT



MALKIN

63363

VARIATION:

HEAVY

CERAMIN®

The Ceramin® Story – beautiful and durable floors that are good for you and the environment. Containing no toxins or PVC, Ceramin® floors will contribute to a healthy home while keeping plastics out of our landfills and oceans by using a minimum 25% post-consumer material and being 100% recyclable.



WATERPROOF

- 100% waterproof — suitable for use in all rooms, including bathrooms, kitchens, three-season rooms, and basements
- Dimensionally stable in high humidity and extreme temperatures — eliminates gapping or cupping issues



ULTRA DURABLE

- High abrasion and micro-scratch resistance (Usage Class 32 - Moderate Commercial)
- Lifetime guarantee against color fading
- Easyloc® (angle-angle) locking system allows for installations up to 10,000 sqft without transitions



PVC & TOXIN FREE

- Contains no PVC, formaldehyde, phthalates, or plasticizers
- Ultra-low VOC emissions for healthy home environments



www.bauer-engel.de/en/luz120



BETTER FOR THE ENVIRONMENT



RECYCLE BIN FRIENDLY

- 100% recyclable and can be included with common household recyclable plastics such as milk containers, plastic bottles, and packaging



25% POST-CONSUMER MATERIAL

- Planks contain a minimum of 25% post-consumer material like yogurt cups and food packaging
- Zero waste manufacturing — production waste and excess material is processed into granulate and added back into the production process
- 100% of electricity used in Ceramin® production comes from hydropower



OVERALL THICKNESS	5MM (w/ 1MM PAD)
PLANK DIMENSIONS	50.8" x 8.0"
UNIQUE PLANKS*	18
ABRASION CLASS	USAGE CLASS 32 / AC4
SURFACE TEXTURE	WOOD GRAIN
FINISH	SUPERMATTE
BEVEL	4-SIDED
SOUND PERFORMANCE	IIC 73 dB STC 62 dB ΔIIC 22dB
RESIDENTIAL WARRANTY**	40 YEARS
COMMERCIAL WARRANTY**	5 YEARS

*Also known as repeat pattern, the higher the number of unique planks, the more natural the floors will look.

**Refer to warranty documentation for details.



SCAN FOR
PRODUCT DETAILS
& VISUALIZER